

## May 2007

TO: WATER CUSTOMERS

FROM: CITY OF IMPERIAL

SUBJECT: ANNUAL WATER QUALITY REPORT

## **CITY OF IMPERIAL WATER CUSTOMERS:**

The California Domestic Water Quality and Monitoring Regulations (Title 22, California Code of Regulations) adopted January 1, 1989; require that each community water system distribute an annual report of the quality of water served to its customers. Though this is a mandated requirement, the City of Imperial welcomes the opportunity to inform its citizens of the methods of treatment and the quality of water delivered.

The City receives its water supply from the Colorado River via the All American Canal and the facilities of the Imperial Irrigation District. Our treatment process for the surface water consists of "complete" treatment including sedimentation, coagulation, flocculation, filtration and disinfection. The City currently provides nearly 4 million gallons per day at peak flows and over 952 million gallons of water annually to its citizens.

At the present time the City meets all applicable California Department of Health Services and Unites States Environmental Protection Agency domestic water quality standards. Water quality data for the reporting period ending December 31, 2006 is attached. Recent 2007 water quality information is available for review upon request.

If you desire further information or have any questions, please contact the Water Department at (760) 355-2155.

PRIMARY MCL   PHG (MCLG)   Disection   Average Level   MCL Violation?   Most Recent					Imperial - Source Water Quality	Water Quality		
Monthly Maskering	Constituent (units)	1	•	Range of Detection			Most Recent Sampling date	Typical Source of Constituent
Northly Needings	Turbidity*							
1,000   1/4   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/	Highest single measurement of the Treated Surface Water (NTU)		n/a	0.02-0.16	0.09	Q.	2006	Soil runoff
1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,00	Lowest Percent of all Monthly Readings less than 0.5 NTU (%)	TT = 95	n/a	100	100	No	2006	Sail runoff
1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,00	Inorganic Constituents						2006	
1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000   1000	Aluminum (ug/l)	1,000	.⊓√a	270	270	- P	2006	Erosion of natural deposits, residue from some surface water treatment processes
SECONDARY MCL   PHG (MCLG)   ND-62   A4   No   2006	Fluoride (ppm)	N	-	0.36	0.36	2	2006	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories
15   NUD   NUA 9   2.6   NN   2006	Radioactive Constituents					-		
SECONDARY MCL   PHG (MCLG)   Nunescale   Level   Nunescale   Nun	Gross Alpha particle activity (pCi/l)	15	Q/N	ND-4.9	2.6	. ON	2006	Erosion of natural deposits
SECONDARY MCL   PHG (MCLG)   Detection   Average Leve   MCL Violation?   Sampling date	Uranium (pCi/l)	- 20:	n/a	N/D-5.2 Range of	4.4	2	2006 Most Recent	Erosion of natural deposits
1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,000   1,00	Constituent (units)	SECONDARY MCL	PHG (MCLG)	Detection		MCL Violation?	Sampling date	Typical Source of Constituent
(ppm)         500         π²a         24         24         No         2006           (ppm)         10000         -2         130         No         2006         2006           παθείαμβη         500         π²a         220         220         No         2006           παθείαμβη         160         π²a         220         20         No         2006           παθείαμβη         160         π²a         20         No         200         No         2006           περείας (μπία)         1,000         π²a         780         120         No         2006           περείας (μπία)         1,000         π²a         120         No         2006           περείας (μπία)         1,000         π²a         120         No         2006           ε (ppm)         500         π²a         120         NO         2006           ε (ppm)         500         π²a         170         170         NO         2006           ε (ppm)         Not Regulated         π²a         100         NO         2006         100         100         100         100         100         100         100         100         100         100	Aluminum (ug/l)	1000	n/a	270	270	No	2006	Erosion of natural deposits, residual from some surface water treatment processe
Part	Arsenic (ppm)	90	п/а	2.4	2.4	ŝ	2006	Naturally-occurring organic materials
1	Barium (ppm)	1000	ç	130	130	ON.	2006	Discharge of oildrilling waste from metal refieries:erosionof natural deposits
15	Iron (ug/I)	300	π/a	220	220	Q.	2006	Leaching from natural deposits; industrial wastes
1	Manganese(ug/I)	90	n/a	Q/N	Q/N	Q	2006	Leaching from natruial deposits
Part	Color (units)	15	n/a	20	20	No	2006	Naturally-occurring organic materials
1,000	Odor Threshold (Units)	3	n/a	. 2	2	ON.	2006	Naturally-occurring organic materials
1,500	Total Dissolved Solids (ppm)	1,000	n/a	780	780	R	2006	Runoff/leaching from natural deposits
Check   Chec	Specific Conductance (micromhos)	1,600	n/a	1200	1200	S.	2006	Substances that form ions when in water, seawater influence
Prof.   Prof	Chlaride (ppm)	200	n/a	120	120	No.	2006	Runoff/leaching from natural deposits; seawater influence
	Silver	2	n/a	ΩN	QN N	2	2006	Runoff/leaching from natural deposits; seawater influence
Most Recent	Sulfate (ppm)	500	n/a	310	310	2	2006	Runoff/leaching from natural deposits, industrial wastes
Not Regulated   Not Regulate	Internated Constituent Decument	Not Regulated	n/a	8.1	a d	n/a	2006	Leaching from natural deposits
um         Not Regulated         n/a         350         n/a         2006           um         Not Regulated         n/a         ND         n/a         2006           n (ppm)         Not Regulated         n/a         120         120         n/a         2006           n (ppm)         Not Regulated         n/a         92         32         n/a         2006           n (ppm)         Not Regulated         n/a         92         32         n/a         2006           sium (ppm)         Not Regulated         n/a         31         31         n/a         2006           sium (ppm)         Not Regulated         n/a         31         31         n/a         2006           sium (ppm)         Not Regulated         n/a         31         n/a         2006           sium (ppm)         Not Regulated         n/a         n	monitoring (units)	MCL		Nange of Detection			Most Recent Sampling date	Typical Source of Constituent
um.         Not Regulated item         r/a         N/D         N/D         r/a         120         r/a         2006           lum (ppm)         Not Regulated         r/a         120         120         r/a         2006           lum (ppm)         Not Regulated         r/a         55         55         r/a         2006           n (ppm)         Not Regulated         r/a         150         r/a         150         r/a         2006           siun (ppm)         Not Regulated         r/a         31         n/a         2006           siun (ppm)         Not Regulated         r/a         31         n/a         2006           siun (ppm)         Not Regulated         r/a         31         n/a         2006           state (ppb)         Not Regulated         r/a         ND         ND         r/a         2006           state (ppb)         Not Regulated         r/a         ND         ND         ND         2006           state (ppb)         Not Regulated         r/a         ND         ND         ND         ND         2006           state (ppb)         Not Regulated         r/a         r/a         ND         ND         ND         ND <t< td=""><td>Hardness as CaCO3 (ppm)</td><td>Not Regulated</td><td>n/a</td><td>350</td><td>18</td><td></td><td>2006</td><td>Leaching from natural deposits</td></t<>	Hardness as CaCO3 (ppm)	Not Regulated	n/a	350	18		2006	Leaching from natural deposits
10pm    Not Regulated   1/4   120   120   1/4   2006	Vanadlum	Not Regulated	n/a	Q/N	O/N	n/a	2006	Leaching from natural deposits
lum (ppm)         Not Regulated         n/a         55         55         55         n/a         2006           n (ppm)         Not Regulated         n/a         92         32         n/a         2006           stum (ppm)         Not Regulated         n/a         150         n/a         2006           stum (ppm)         Not Regulated         n/a         31         31         n/a         2006           stum (ppm)         Not Regulated         n/a         n/a         2006         2006         2006           strain (ppm)         Not Regulated         n/a         n/a         n/a         2006         2006           strain (ppm)         Not Regulated         n/a         n/a         n/a         2006         2006           strain (ppm)         Not Regulated         n/a         n/a         n/a         n/a         2006           strain (ppm)         Not Regulated         n/a	Sodium (ppm)	Not Regulated	ī/a	120	- 120	n/a	2006	Leaching from natural deposits
Not Regulated   Nue   Sept	Potassium (ppm)	Not Regulated	n/a	5.5	5.5	n/a	2006	Leaching from netural deposits
situm (ppm)         Not Regulated         n/a         150         n/a         2006           situm (ppm)         Not Regulated         n/a         31         31         n/a         2006           orate (ppb)         Not Regulated         4         N/D         N/D         n/D         n/a         2006           oligonal Copitaminents (units)         PRIMARY MCL         PHG (MCLG)         Value         MCL Violation?         Sampling date           oliform Bacteria (% of monthly positive as amples)         A routine sample are total a repeat sample are total a repeat sample are and one is also fecal positive and is coliform or E. coil from	Calcium (ppm)	Not Regulated	n/a	. 85	32	n/a	2006	Leaching from natural deposits
Not Regulated	Boron	Not Regulated	n/a	150	150	n/a	2006	Leaching from natural deposits
Not Regulated	Magnesium (ppm)	Not Regulated	n/a	31	31	n/a	2006	Leaching from natural deposits
optaminents (units)  PRIMARY MCL PHG (MCLG)  Ceria (% of monthiy amplea and a repeat sample and not is also fecal coliform of	Perchlorate (oob)	Not Requiated	4		Q	, , , , , , , , , , , , , , , , , , ,	2006	Perchlorate is a chemical used by industries in the manufacturing of rocket lates, pyrotechnics (fireworks), matches, pharmaceuticals, and as a lab-grade chemical.
hity More than 5% of more than	7 11	2		-	Distribution System	Water Oughty		
More than 5% of More than 5% o				-	in the state of th	-		
hiy         More than 5% of monthly samples are positive         (0)         0         No         2006           A routine sample and a repeat sample are total coliform positive, and one is also fecal coliform one is also fecal aroliform one is also fecal action or E. coliform 6.0)         No         2006         Item 2006	Micobiological Contaminents (units)	1		, va	en <sub>i</sub> i	MCL Violation?	Most Recent Sampling date	Typical Source of Constituent
A routine sample and a repeat sample are total coliform positive, and one is also fecal coliform or E. coli con positive (0) 0 No 2006 1	Total Coliform Bacteria (% of monthly positive samples)	More than 5% of monthly samples are positive	(0)		0	ON	2006	Naturally present in the environment
a repeat sample are total coliform positive, and one is also fecal coliform C. coli on E. coliform best total coliform c. coliform e. coliform c. coli		A routine sample and						
coliform or E. coli (D) 0 No 2006		a repeat sample are total coliform positive, and one is also fecal						
	Fecal coliform and E. coli Bacteria (number of monthly positive samples)	coliform or E. coli positive	(0)		0	N <sub>O</sub>	2006	Human and animal fecal waste
	-		-	-		-		

UG/L= MICROGRAMS PER LITER MG/L=MILLIGRAMS PER LITER N/A=NONE AVAILABLE

(PARTS PER BILLION)
(PARTS PER MILLION)

MAXIMUM CONTAMINANT LEVEL(MCL): The highest level of contaminant that is allowed in drinking water. Primary MCL's are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

MAXIMUM CONTAMINANT LEVEL GOAL(MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

PRIMARY DRINKING WATER STANDARD or PDWS: MCLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

TREATMENT TECHNIQUE: a required process intended to reduce the level of a contaminant in drinking water.

**REGULATORY ACTION LEVEL:** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**VARIANCES AND EXEMPTIONS:** State or EPA permission no to meet an MCL or a treatment technique under certain conditions.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

MICROBIAL CONTAMINANTS: such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

**INORGANIC CONTAMINANTS:** such as salts and metals, that can be naturally-occurring or be the result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.

**PESTICIDES AND HERBICIDES:** that may come from a variety of sources such as agriculture, urban storm water runoff, agricultural application and septic systems.

**RADIOACTIVE CONTAMINANTS:** that can be naturally-occurring or be the result of oil and gas production and mining activities.

SECONDARY DRINKING WATER STANDARDS (SDWS) MCLs for contaminants that affect health along with their monitoring and reporting requirements and water treatment requirements.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (USEPA) and the State Department of Health Services (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that provide the same protection of public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not, necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidum and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).